


ANDRITZ Centrifugal Pump

ISO Series





Maximum economy, easy maintenance

For over 100 years ANDRITZ has been a byword for competence and innovation in designing and building centrifugal pumps.

As suppliers of complete production systems for the pulp and paper industry, we have acquired broad expertise of the related process technologies -the basis for our successful development of components for conveying paper stock and pulp.

ANDRITZ Centrifugal Pumps, ISO Series, Fields of application: fulfil customer expectations in terms of efficiency, life cycle, maintenance friendliness and economic efficiency.

All pump parts are manufactured according to the highest quality standards in our ISO certified workshops. The superior quality of our products originates from compliance with these stringent requirements.

- Process water supply in
 - the pulp and paper industry
 - the steel industry
 - the food industry
 - the sugar industry
 - power plants
- Drinking water supply
- Waste water treatment
- Chemical industry
- Bioethanol

The facts:

- Flow rates up to 300 m³/h
- Heads up to 160 m
- Casing pressure PN16
- Temperatures up to 140°C
- Consistencies up to 1% bone dry
- ISO 2858 and 5199
- Simple maintenance
- Low energy consumption




Technology to convince you

The high standard of ANDRITZ Centrifugal Pumps, ISO Series, is based on decades of experience in designing hydraulic machines and on extensive process knowhow.

Well-proven design

An innovative product policy and continuous advancement of essential design features make this pump a powerful, yet economical standard unit with a broad range of applications.



High research and development capabilities

Our affiliate ASTRÖ enjoys international renown for its hydraulic developments and investigations. The high efficiency of the ISO Pump Series is ensured by Computational Fluid Dynamic (CFD) calculations and extensive testing carried out in our company owned laboratory.




Installed ANDRITZ Pumps ISO Series

Characteristic curves

ANDRITZ Centrifugal Pumps, ISO Series

Characteristic curves 1500 rpm and 3000 rpm




Material combinations

ISO Series	EN-GJL 250	1.4408	1.4021	1.4404
Impeller		•		
Volute casing	•	•		
Bearing housing	•			
Casing cover	•	•		
Shaft			•	

European standard		US standard		
Number	Name	Grade	UNS	
EN-JL1040	EN-GJL 250	Class 40B	/	
1.4408	GX5CrNiMo19-11-2	CF8M	J92900	
1.4021	X20Cr13	420	S42000	
1.4462	X2CrNiMoN22-5-3	2205	S31803, S32205	



Close to our customers



Stattegger Strasse 18 8045 Graz, Austria

Phone: +43.316.6902-3020 Fax: +43.316.6902-413 marlene.eder@andritz.com

www.andritz.com

All data, information, statements, photographs and graphic illustrations made in this leaflet are without any obligation and raise no liabilities to or form part of any sales contracts of ANDRITZ AG or any affiliates for equipment and/or systems referred to herein. © ANDRITZ AG 2009. All rights reserved. No part of this copyrighted work may be reproduced, modified or distributed in any form or by any means, or stored in any database or retrieval system, without the prior written permission of ANDRITZ AG or its affiliates. Any such unauthorized use for any purpose is a violation of the relevant copyright laws. ANDRITZ AG, Stattegger Strasse 18, 8045 Graz, Austria